



TBX5 gene

T-box 5

Normal Function

The *TBX5* gene provides instructions for making a protein called T-box 5 that plays an important role in the formation of tissues and organs during embryonic development. This protein regulates the activity of other genes by attaching (binding) to specific regions of DNA. On the basis of this action, the T-box 5 protein is called a transcription factor.

During embryonic development, the T-box 5 protein turns on (activates) genes involved in the normal development of the hands and arms (upper limbs). The T-box 5 protein also activates genes that play an important role in the growth and development of the heart. This protein appears to be particularly important for the formation of the wall (septum) that separates the right and left sides of the heart. The T-box 5 protein is also critical to the formation of the electrical system that coordinates contractions of the heart chambers.

Health Conditions Related to Genetic Changes


Holt-Oram syndrome

More than 70 mutations in the *TBX5* gene have been found to cause Holt-Oram syndrome. Most of these mutations prevent the production of the T-box 5 protein. Other mutations change one of the protein building blocks (amino acids) used to make the T-box 5 protein. Researchers believe that a change in amino acids impairs the protein's ability to bind to DNA. As a result of *TBX5* mutations, genes that are important for development of the heart and upper limbs are probably not activated. Abnormal development of the heart and upper limbs is characteristic of Holt-Oram syndrome.

Chromosomal Location

Cytogenetic Location: 12q24.21, which is the long (q) arm of chromosome 12 at position 24.21

Molecular Location: base pairs 114,353,911 to 114,408,708 on chromosome 12 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- HOS
- T-box transcription factor TBX5
- TBX5_HUMAN

Additional Information & Resources

Educational Resources

- Developmental Biology (sixth edition, 2000): Specification of forelimb or hindlimb: Tbx4 and Tbx5
<https://www.ncbi.nlm.nih.gov/books/NBK10003/#A3934>

GeneReviews

- Holt-Oram Syndrome
<https://www.ncbi.nlm.nih.gov/books/NBK1111>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28TBX5%5BTIAB%5D%29+OR+%28T-box+5%5BTIAB%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- T-BOX 5
<http://omim.org/entry/601620>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_TBX5.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=TBX5%5Bgene%5D>
- HGNC Gene Family: T-boxes
<http://www.genenames.org/cgi-bin/genefamilies/set/766>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=11604
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/6910>
- UniProt
<http://www.uniprot.org/uniprot/Q99593>

Sources for This Summary

- Cerbai E, Sartiani L. Holt-oram syndrome and atrial fibrillation: opening the (T)-box. *Circ Res.* 2008 Jun 6;102(11):1304-6. doi: 10.1161/CIRCRESAHA.108.178079.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18535267>
- Debeer P, Race V, Gewillig M, Devriendt K, Frijns JP. Novel TBX5 mutations in patients with Holt-Oram syndrome. *Clin Orthop Relat Res.* 2007 Sep;462:20-6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17534187>
- Hatcher CJ, McDermott DA. Using the TBX5 transcription factor to grow and sculpt the heart. *Am J Med Genet A.* 2006 Jul 1;140(13):1414-8. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16691575>
- McDermott DA, Bressan MC, He J, Lee JS, Aftimos S, Brueckner M, Gilbert F, Graham GE, Hannibal MC, Innis JW, Pierpont ME, Raas-Rothschild A, Shanske AL, Smith WE, Spencer RH, St John-Sutton MG, van Maldergem L, Waggoner DJ, Weber M, Basson CT. TBX5 genetic testing validates strict clinical criteria for Holt-Oram syndrome. *Pediatr Res.* 2005 Nov;58(5):981-6. Epub 2005 Sep 23.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16183809>
- Mori AD, Bruneau BG. TBX5 mutations and congenital heart disease: Holt-Oram syndrome revealed. *Curr Opin Cardiol.* 2004 May;19(3):211-5. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15096952>

- Stennard FA, Harvey RP. T-box transcription factors and their roles in regulatory hierarchies in the developing heart. *Development*. 2005 Nov;132(22):4897-910. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16258075>
 - OMIM: T-BOX 5
<http://omim.org/entry/601620>
-

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/TBX5>

Reviewed: December 2009
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services